

1. Product Description

Product description	: One-component, paintable, odorless, flexible, solvent-free acrylic based sealant.
Product form	: Mixture
Trade name	: SOMAFIX SILICONIZED ACRYLIC SEALANT
Use of the substance/mixture	: Mastic, sealant
Recommended use	: Industrial use Professional uses Consumer use
Type of product	: Mastic, sealant

2. Characteristics

Characteristics	: Easy application Over-paintable Can be easily smoothed and levelled out Keeps flexibility quite a while after curing
-----------------	---

3. Application

- Installation of PVC, aluminium and wooden panel
- Joints between door /window frames and the wall, staircase and the wall
- Joints at washbasin, bathtub, closets, tiles and ceramic
- For cracks in walls, wood, plaster, aluminium brick and concrete
- Can be used for all applications except aquariums

4. Application Instructions

- Application temperature is between +5 °C to +40 °C.
- The surface to be applied should be clean and dry, free of dust and grease
- Stick both sides of surface with tapes
- Cut the cartridge/sausage tip and place it in the gun
- Cut the cannula tip and insert into the cartridge
- Apply the sealant
- Smooth mastic with water after application and remove tapes
- Protect against water for 24 hours after application
- Joint width and depth ratio should be about 2:1
- Not suitable for surfaces that are constantly exposed to water.

5. Technical Specifications (@ 23 °C 50% RH)

Physical state	: Solid
Chemical Basis	: Acrylic (Water Based).
Appearance	: Paste.
Odour	: characteristic
Curing System	: Moisture
Skin Forming Time	: 5 – 20 minutes
Curing Rate	: 4 – 5 mm/day
Complete Curing Time	: 24 h
Density	: 1.62 g/cm ³ ±0,01 @23°C
pH	: 7.5 – 9

Viscosity, kinematic	: Not applicable
Flash point	: Not applicable
Thermal Resistance	: 90 °C
Application Temperature	: 5 → 40 °C

6. Packaging

Packaging	: Original packaging
Colour	: white. Black. brown. Grey. Bronze. Anthracite Gray. Beige.

Cartridge 310 ml	Package 24 pcs/box
Sausage 600 ml	Package 20 pcs/box

7. Shelf Life and Storage

Storage conditions	: Store in a well-ventilated place. Keep cool.
Storage temperature	: 5 → 35 °C

Cartridge 310 ml	15 months (after production date, if stored at room temperature)
Sausage 600 ml	15 months (after production date, if stored at room temperature)

8. Health and Safety

Adverse physicochemical, human health and environmental effects	: To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water.
First-aid measures after eye contact	: Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.
Other medical advice or treatment	: Treat symptomatically.
Hand protection	: Protective gloves
Eye protection	: Safety glasses
Skin and body protection	: Wear suitable protective clothing
Respiratory protection	: In case of insufficient ventilation, wear suitable respiratory equipment

9. Remarks

Remarks	: For further information, please refer to the Safety Data Sheet
---------	--

10. Standards and Certificates

Standards and Certificates	: EN 15651-1 EN 15651-2
----------------------------	----------------------------

Technical Data Sheet

DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable